

CORRES. CONTROL
INCOMING LTR NO.

00063 RF04

DUE DATE

ACTION



RECEIVED

2004 FEB -6 A 9 Department of Energy

CORRESPONDENCE
CONTROL
ROCKY FLATS FIELD OFFICE
10808 HIGHWAY 93, UNIT A
GOLDEN, COLORADO 80403-8200

FEB 05 2004

04-DOE-00084

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
BUTLER, L.	X	
CARPENTER, M.	X	
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.	X	
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D. W.	X	
GIACOMINI, J. J.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NESTA, S.	X	
NORTH, K.	X	
PARKER, A. M.	X	
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.		
TRICE, K. D.		
TUOR, N. R.	X	
WIEMELT, K.		
WILLIAMS, J. L.		
ZAHM, C.	X	

Freiboth, K. X
Parsons, D. X

COR. CONTROL	X
ADMIN. RECORD	X
PATS/130	

Reviewed for Addressee
Corres. Control RFP2/1/04
Date By

Ref. Ltr. #

DOE ORDER #

5400.1

Mr. Steven H. Gunderson
RFCA Project Coordinator
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, CO 80222-1530

Dear Mr. Gunderson:

Please find the Facility Disposition RSOP (Rocky Flats Cleanup Agreement Standard Operating Protocol) notification letter for the foaming of the 998 tunnel, Corridor B, and Room 402 [FFG-007-04] identified as Type 2 facilities. This notification invokes the RSOP for demolition of the facility based upon the contact record and associated PDS for those areas and structural analysis of the tunnels/rooms with overburden.

Note that a separate PDS, demolition plan, and notification letter will be forthcoming for the main structure of B-991. Questions can be directed to Gary P. Morgan, AMP at (303) 966-6003.

Sincerely,


Joseph A. Legare, Assistant Manager
for Environment and Stewardship

LYA

Enclosures

cc w/o Encl:

C. Freiboth, K-H, RISS D&D
S. NESTA, K-H, RISS Env
D. Parsons, K-H, RISS D&D
T. Rehder, EPA Region VIII
Administrative Record



DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE

ADMIN RECORD

IA-A-001962